

Table 1.1A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 12 or Older: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	86,931 ^b	94,140	24,535 ^b	28,409	14,027 ^b	15,910
Marijuana and Hashish	76,321 ^b	83,272	18,589 ^b	21,086	10,714 ^b	12,122
Cocaine	24,896 ^b	27,788	3,328 ^b	4,186	1,213 ^b	1,676
Crack	5,307 ^a	6,222	721 ^b	1,027	265	406
Heroin	2,779	3,091	308	456	130	123
Hallucinogens ²	26,125 ^b	28,317	3,483 ^b	4,597	971 ^b	1,264
LSD	19,642	20,202	1,749	1,612	403	320
PCP	5,804	6,025	264	250	54	54
Ecstasy	6,482 ^b	8,131	--	3,247	--	786
Inhalants	16,702 ^b	18,219	1,918	1,922	622	539
Nonmedical Use of Any Psychotherapeutic ³	32,443 ^b	36,028	8,761 ^b	11,102	3,849 ^b	4,811
Pain Relievers	19,210 ^b	22,133	6,466 ^b	8,353	2,782 ^b	3,497
Tranquilizers	13,007	13,945	2,731 ^b	3,673	1,000 ^a	1,358
Stimulants	14,661 ^a	16,007	2,112 ^a	2,486	788	1,018
Methamphetamine	8,843	9,600	1,031	1,341	387	576
Sedatives	7,142	7,477	611	806	175	306
Any Illicit Drug Other Than Marijuana ¹	52,605 ^b	57,785	13,052 ^b	15,861	5,711 ^b	7,003

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.1B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 12 or Older: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	38.9 ^b	41.7	11.0 ^b	12.6	6.3 ^b	7.1
Marijuana and Hashish	34.2 ^b	36.9	8.3 ^b	9.3	4.8 ^b	5.4
Cocaine	11.2 ^b	12.3	1.5 ^b	1.9	0.5 ^b	0.7
Crack	2.4 ^a	2.8	0.3 ^a	0.5	0.1	0.2
Heroin	1.2	1.4	0.1	0.2	0.1	0.1
Hallucinogens ²	11.7 ^b	12.5	1.6 ^b	2.0	0.4 ^b	0.6
LSD	8.8	9.0	0.8	0.7	0.2	0.1
PCP	2.6	2.7	0.1	0.1	0.0	0.0
Ecstasy	2.9 ^b	3.6	--	1.4	--	0.3
Inhalants	7.5 ^a	8.1	0.9	0.9	0.3	0.2
Nonmedical Use of Any Psychotherapeutic ³	14.5 ^b	16.0	3.9 ^b	4.9	1.7 ^b	2.1
Pain Relievers	8.6 ^b	9.8	2.9 ^b	3.7	1.2 ^b	1.6
Tranquilizers	5.8	6.2	1.2 ^b	1.6	0.4 ^a	0.6
Stimulants	6.6 ^a	7.1	0.9	1.1	0.4	0.5
Methamphetamine	4.0	4.3	0.5	0.6	0.2	0.3
Sedatives	3.2	3.3	0.3	0.4	0.1	0.1
Any Illicit Drug Other Than Marijuana ¹	23.6 ^b	25.6	5.8 ^b	7.0	2.6 ^b	3.1

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.2A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 12 to 17: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	6,288 ^a	6,691	4,357 ^b	4,917	2,264 ^b	2,556
Marijuana and Hashish	4,283 ^b	4,642	3,136 ^b	3,580	1,678 ^b	1,889
Cocaine	550	533	389	349	132	106
Crack	143	150	87	84	20	26
Heroin	84	76	49	50	15	9
Hallucinogens ²	1,347	1,354	908	952	270	285
LSD	840 ^a	742	511	454	120	105
PCP	246	225	112	121	18	23
Ecstasy	615 ^b	746	--	559	--	151
Inhalants	2,079	2,038	826	833	223	231
Nonmedical Use of Any Psychotherapeutic ³	2,543 ^a	2,744	1,649 ^b	1,864	690	761
Pain Relievers	1,964 ^b	2,209	1,260 ^b	1,511	538	619
Tranquilizers	595	616	373	408	110	129
Stimulants	927	883	552	517	181	158
Methamphetamine	305	338	186	200	68	48
Sedatives	188	159	110	80	36	31
Any Illicit Drug Other Than Marijuana ¹	4,228	4,402	2,631 ^a	2,836	1,074	1,155

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.2B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 12 to 17: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	26.9 ^a	28.4	18.6 ^b	20.8	9.7 ^b	10.8
Marijuana and Hashish	18.3 ^b	19.7	13.4 ^b	15.2	7.2 ^a	8.0
Cocaine	2.4	2.3	1.7	1.5	0.6	0.4
Crack	0.6	0.6	0.4	0.4	0.1	0.1
Heroin	0.4	0.3	0.2	0.2	0.1	0.0
Hallucinogens ²	5.8	5.7	3.9	4.0	1.2	1.2
LSD	3.6 ^a	3.1	2.2	1.9	0.5	0.4
PCP	1.1	1.0	0.5	0.5	0.1	0.1
Ecstasy	2.6 ^a	3.2	--	2.4	--	0.6
Inhalants	8.9	8.6	3.5	3.5	1.0	1.0
Nonmedical Use of Any Psychotherapeutic ³	10.9	11.6	7.1 ^b	7.9	3.0	3.2
Pain Relievers	8.4 ^b	9.4	5.4 ^b	6.4	2.3	2.6
Tranquilizers	2.5	2.6	1.6	1.7	0.5	0.5
Stimulants	4.0	3.7	2.4	2.2	0.8	0.7
Methamphetamine	1.3	1.4	0.8	0.8	0.3	0.2
Sedatives	0.8	0.7	0.5	0.3	0.2	0.1
Any Illicit Drug Other Than Marijuana ¹	18.1	18.7	11.3 ^a	12.0	4.6	4.9

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.3A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 18 to 25: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	14,846 ^b	16,382	8,088 ^b	9,400	4,599 ^b	5,540
Marijuana and Hashish	13,256 ^b	14,736	6,860 ^b	7,872	3,950 ^b	4,711
Cocaine	3,148 ^b	3,820	1,274 ^b	1,681	395 ^b	566
Crack	822 ^b	1,003	190 ^a	272	43 ^a	77
Heroin	403	474	108	147	26 ^b	67
Hallucinogens ²	5,592 ^b	6,511	1,959 ^b	2,733	532 ^b	803
LSD	4,072 ^b	4,507	998	966	235	186
PCP	670 ^a	777	99	117	23	29
Ecstasy	2,800 ^b	3,877	--	2,022	--	513
Inhalants	3,701	3,956	696	729	162	178
Nonmedical Use of Any Psychotherapeutic ³	5,650 ^b	6,859	2,696 ^b	3,570	1,050 ^b	1,425
Pain Relievers	4,221 ^b	5,359	2,108 ^b	2,839	780 ^b	1,059
Tranquilizers	2,158 ^b	2,629	883 ^b	1,237	292 ^a	393
Stimulants	2,200 ^b	2,810	703 ^b	1,007	221 ^b	377
Methamphetamine	1,185 ^b	1,510	353 ^b	491	94 ^b	206
Sedatives	477	549	169	165	41	60
Any Illicit Drug Other Than Marijuana ¹	9,247 ^b	10,437	4,295 ^b	5,419	1,711 ^b	2,313

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.3B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 18 to 25: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	51.2 ^b	55.6	27.9 ^b	31.9	15.9 ^b	18.8
Marijuana and Hashish	45.7 ^b	50.0	23.7 ^b	26.7	13.6 ^b	16.0
Cocaine	10.9 ^b	13.0	4.4 ^b	5.7	1.4 ^b	1.9
Crack	2.8 ^b	3.4	0.7 ^a	0.9	0.1 ^a	0.3
Heroin	1.4	1.6	0.4	0.5	0.1 ^b	0.2
Hallucinogens ²	19.3 ^b	22.1	6.8 ^b	9.3	1.8 ^b	2.7
LSD	14.0 ^b	15.3	3.4	3.3	0.8	0.6
PCP	2.3	2.6	0.3	0.4	0.1	0.1
Ecstasy	9.7 ^b	13.1	--	6.9	--	1.7
Inhalants	12.8	13.4	2.4	2.5	0.6	0.6
Nonmedical Use of Any Psychotherapeutic ³	19.5 ^b	23.3	9.3 ^b	12.1	3.6 ^b	4.8
Pain Relievers	14.6 ^b	18.2	7.3 ^b	9.6	2.7 ^b	3.6
Tranquilizers	7.4 ^b	8.9	3.0 ^b	4.2	1.0 ^a	1.3
Stimulants	7.6 ^b	9.5	2.4 ^b	3.4	0.8 ^b	1.3
Methamphetamine	4.1 ^b	5.1	1.2 ^a	1.7	0.3 ^b	0.7
Sedatives	1.6	1.9	0.6	0.6	0.1	0.2
Any Illicit Drug Other Than Marijuana ¹	31.9 ^b	35.4	14.8 ^b	18.4	5.9 ^b	7.8

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.4A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 26 or Older: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	65,797 ^b	71,067	12,089 ^b	14,092	7,164	7,815
Marijuana and Hashish	58,782 ^b	63,895	8,593 ^a	9,633	5,085	5,521
Cocaine	21,198 ^b	23,435	1,666 ^a	2,156	687	1,004
Crack	4,341 ^a	5,069	443 ^a	670	202	303
Heroin	2,292	2,541	151	259	88	46
Hallucinogens ²	19,186	20,453	616 ^a	912	169	176
LSD	14,729	14,953	239	193	49	29
PCP	4,888	5,023	53	12	12	*
Ecstasy	3,067	3,508	--	666	--	121
Inhalants	10,922 ^b	12,225	396	359	236	130
Nonmedical Use of Any Psychotherapeutic ³	24,250 ^a	26,425	4,415 ^b	5,667	2,108 ^a	2,624
Pain Relievers	13,025 ^a	14,565	3,099 ^b	4,003	1,464	1,819
Tranquilizers	10,254	10,700	1,475 ^a	2,028	599	836
Stimulants	11,535	12,314	857	962	387	484
Methamphetamine	7,353	7,752	493	650	225	322
Sedatives	6,477	6,769	332 ^a	561	98	215
Any Illicit Drug Other Than Marijuana ¹	39,130 ^b	42,947	6,125 ^b	7,606	2,926 ^a	3,535

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.4B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 26 or Older: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	38.5 ^b	41.2	7.1 ^b	8.2	4.2	4.5
Marijuana and Hashish	34.4 ^b	37.0	5.0 ^a	5.6	3.0	3.2
Cocaine	12.4 ^b	13.6	1.0 ^a	1.2	0.4	0.6
Crack	2.5 ^a	2.9	0.3 ^a	0.4	0.1	0.2
Heroin	1.3	1.5	0.1	0.2	0.1	0.0
Hallucinogens ²	11.2	11.9	0.4 ^a	0.5	0.1	0.1
LSD	8.6	8.7	0.1	0.1	0.0	0.0
PCP	2.9	2.9	0.0	0.0	0.0	*
Ecstasy	1.8	2.0	--	0.4	--	0.1
Inhalants	6.4 ^a	7.1	0.2	0.2	0.1	0.1
Nonmedical Use of Any Psychotherapeutic ³	14.2 ^a	15.3	2.6 ^b	3.3	1.2	1.5
Pain Relievers	7.6 ^a	8.4	1.8 ^b	2.3	0.9	1.1
Tranquilizers	6.0	6.2	0.9 ^a	1.2	0.4	0.5
Stimulants	6.7	7.1	0.5	0.6	0.2	0.3
Methamphetamine	4.3	4.5	0.3	0.4	0.1	0.2
Sedatives	3.8	3.9	0.2 ^a	0.3	0.1	0.1
Any Illicit Drug Other Than Marijuana ¹	22.9 ^b	24.9	3.6 ^b	4.4	1.7	2.0

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.5A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 12 or 13: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	976	971	562	630	235 ^a	292
Marijuana and Hashish	307	298	207	237	88	115
Cocaine	30	23	24	20	11	3
Crack	8	8	8	7	2	1
Heroin	7	10	6	8	1	*
Hallucinogens ²	98	104	65	69	17	17
LSD	41	27	31	22	5	5
PCP	24	20	13	13	1	2
Ecstasy	25	38	--	30	--	5
Inhalants	527	467	216	226	54	69
Nonmedical Use of Any Psychotherapeutic ³	438	430	268	287	124	139
Pain Relievers	338	360	195	239	97	113
Tranquilizers	65	51	37	32	11	9
Stimulants	130 ^a	91	83	62	27	25
Methamphetamine	24	31	19	18	9	9
Sedatives	37	32	25	18	9	9
Any Illicit Drug Other Than Marijuana ¹	837	818	456	495	180	204

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.5B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 12 or 13: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	12.6	12.6	7.2	8.2	3.0 ^a	3.8
Marijuana and Hashish	4.0	3.9	2.7	3.1	1.1	1.5
Cocaine	0.4	0.3	0.3	0.3	0.1	0.0
Crack	0.1	0.1	0.1	0.1	0.0	0.0
Heroin	0.1	0.1	0.1	0.1	0.0	*
Hallucinogens ²	1.3	1.3	0.8	0.9	0.2	0.2
LSD	0.5	0.4	0.4	0.3	0.1	0.1
PCP	0.3	0.3	0.2	0.2	0.0	0.0
Ecstasy	0.3	0.5	--	0.4	--	0.1
Inhalants	6.8	6.1	2.8	2.9	0.7	0.9
Nonmedical Use of Any Psychotherapeutic ³	5.6	5.6	3.5	3.7	1.6	1.8
Pain Relievers	4.4	4.7	2.5	3.1	1.3	1.5
Tranquilizers	0.8	0.7	0.5	0.4	0.1	0.1
Stimulants	1.7	1.2	1.1	0.8	0.3	0.3
Methamphetamine	0.3	0.4	0.2	0.2	0.1	0.1
Sedatives	0.5	0.4	0.3	0.2	0.1	0.1
Any Illicit Drug Other Than Marijuana ¹	10.8	10.6	5.9	6.4	2.3	2.6

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.6A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 14 or 15: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	2,192	2,354	1,545 ^b	1,759	788	890
Marijuana and Hashish	1,407	1,535	1,074 ^a	1,212	556	621
Cocaine	149	133	125	92	38	32
Crack	42	31	36 ^a	18	9	7
Heroin	29	25	19	15	3	3
Hallucinogens ²	396	414	294	327	76	93
LSD	235	219	171	150	29	45
PCP	86 ^a	59	49	45	8	9
Ecstasy	163 ^a	222	--	189	--	38
Inhalants	795	797	330	346	95	104
Nonmedical Use of Any Psychotherapeutic ³	883	981	592 ^a	697	244	287
Pain Relievers	686 ^b	809	445 ^b	563	192	240
Tranquilizers	183	204	120	144	35	45
Stimulants	324	295	203	194	63	55
Methamphetamine	96	104	55	76	14	16
Sedatives	60	58	38	32	11	10
Any Illicit Drug Other Than Marijuana ¹	1,494	1,602	947	1,053	374	433

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.6B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 14 or 15: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	27.2	28.8	19.2 ^b	21.5	9.8	10.9
Marijuana and Hashish	17.5	18.8	13.3 ^a	14.8	6.9	7.6
Cocaine	1.9	1.6	1.6	1.1	0.5	0.4
Crack	0.5	0.4	0.5 ^a	0.2	0.1	0.1
Heroin	0.4	0.3	0.2	0.2	0.0	0.0
Hallucinogens ²	4.9	5.1	3.7	4.0	0.9	1.1
LSD	2.9	2.7	2.1	1.8	0.4	0.6
PCP	1.1 ^a	0.7	0.6	0.5	0.1	0.1
Ecstasy	2.0 ^a	2.7	--	2.3	--	0.5
Inhalants	9.9	9.7	4.1	4.2	1.2	1.3
Nonmedical Use of Any Psychotherapeutic ³	11.0	12.0	7.4 ^a	8.5	3.0	3.5
Pain Relievers	8.5 ^a	9.9	5.5 ^b	6.9	2.4	2.9
Tranquilizers	2.3	2.5	1.5	1.8	0.4	0.5
Stimulants	4.0	3.6	2.5	2.4	0.8	0.7
Methamphetamine	1.2	1.3	0.7	0.9	0.2	0.2
Sedatives	0.7	0.7	0.5	0.4	0.1	0.1
Any Illicit Drug Other Than Marijuana ¹	18.6	19.6	11.8	12.9	4.6	5.3

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.7A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 16 or 17: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	3,121 ^a	3,366	2,250 ^b	2,528	1,242 ^a	1,374
Marijuana and Hashish	2,569 ^a	2,809	1,855 ^b	2,131	1,034	1,153
Cocaine	371	378	239	237	83	71
Crack	92	110	43	59	8	19
Heroin	48	40	25	27	11	6
Hallucinogens ²	854	836	549	556	177	175
LSD	565	495	309	282	86	55
PCP	135	147	50	63	10	13
Ecstasy	427	486	--	340	--	108
Inhalants	756	775	279	261	75	57
Nonmedical Use of Any Psychotherapeutic ³	1,222	1,334	790	880	323	336
Pain Relievers	940	1,041	619	709	248	266
Tranquilizers	348	361	216	231	64	75
Stimulants	472	496	266	261	91	78
Methamphetamine	185	203	112	106	45 ^a	23
Sedatives	91	69	46	30	17	13
Any Illicit Drug Other Than Marijuana ¹	1,897	1,981	1,229	1,288	520	518

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.7B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 16 or 17: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	41.3 ^a	43.6	29.8 ^b	32.8	16.4	17.8
Marijuana and Hashish	34.0 ^a	36.4	24.5 ^b	27.6	13.7	14.9
Cocaine	4.9	4.9	3.2	3.1	1.1	0.9
Crack	1.2	1.4	0.6	0.8	0.1	0.2
Heroin	0.6	0.5	0.3	0.3	0.1	0.1
Hallucinogens ²	11.3	10.8	7.3	7.2	2.3	2.3
LSD	7.5	6.4	4.1	3.7	1.1 ^a	0.7
PCP	1.8	1.9	0.7	0.8	0.1	0.2
Ecstasy	5.6	6.3	--	4.4	--	1.4
Inhalants	10.0	10.0	3.7	3.4	1.0	0.7
Nonmedical Use of Any Psychotherapeutic ³	16.2	17.3	10.4	11.4	4.3	4.4
Pain Relievers	12.4	13.5	8.2	9.2	3.3	3.5
Tranquilizers	4.6	4.7	2.9	3.0	0.8	1.0
Stimulants	6.2	6.4	3.5	3.4	1.2	1.0
Methamphetamine	2.5	2.6	1.5	1.4	0.6 ^a	0.3
Sedatives	1.2	0.9	0.6	0.4	0.2	0.2
Any Illicit Drug Other Than Marijuana ¹	25.1	25.7	16.3	16.7	6.9	6.7

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.8A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 18 to 20: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	6,228	6,523	4,020 ^a	4,403	2,372 ^a	2,683
Marijuana and Hashish	5,543	5,779	3,470	3,707	2,080	2,268
Cocaine	1,182	1,253	578 ^a	721	209	271
Crack	324	318	103	122	31	45
Heroin	157	163	47	63	12	28
Hallucinogens ²	2,296	2,497	1,154 ^b	1,420	322 ^b	448
LSD	1,664	1,628	641	601	163	113
PCP	306	310	68	76	14	19
Ecstasy	1,269 ^b	1,633	--	1,026	--	280
Inhalants	1,569	1,484	456	425	101	108
Nonmedical Use of Any Psychotherapeutic ³	2,446 ^b	2,830	1,362 ^b	1,703	542 ^b	721
Pain Relievers	1,905 ^b	2,296	1,084 ^b	1,408	397 ^b	553
Tranquilizers	853 ^a	1,033	410 ^b	558	144	174
Stimulants	965 ^a	1,114	390 ^b	525	136 ^a	203
Methamphetamine	463	529	193	237	49 ^a	92
Sedatives	203	212	103	84	20	24
Any Illicit Drug Other Than Marijuana ¹	3,874	4,156	2,191 ^b	2,568	912 ^b	1,166

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.8B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 18 to 20: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	51.5 ^b	54.6	33.3 ^b	36.8	19.6 ^b	22.4
Marijuana and Hashish	45.9 ^a	48.4	28.7 ^a	31.0	17.2 ^a	19.0
Cocaine	9.8	10.5	4.8 ^b	6.0	1.7	2.3
Crack	2.7	2.7	0.9	1.0	0.3	0.4
Heroin	1.3	1.4	0.4	0.5	0.1	0.2
Hallucinogens ²	19.0 ^a	20.9	9.6 ^b	11.9	2.7 ^b	3.7
LSD	13.8	13.6	5.3	5.0	1.4	0.9
PCP	2.5	2.6	0.6	0.6	0.1	0.2
Ecstasy	10.5 ^b	13.7	--	8.6	--	2.3
Inhalants	13.0	12.4	3.8	3.6	0.8	0.9
Nonmedical Use of Any Psychotherapeutic ³	20.2 ^b	23.7	11.3 ^b	14.3	4.5 ^b	6.0
Pain Relievers	15.8 ^b	19.2	9.0 ^b	11.8	3.3 ^b	4.6
Tranquilizers	7.1 ^b	8.6	3.4 ^b	4.7	1.2	1.5
Stimulants	8.0 ^b	9.3	3.2 ^b	4.4	1.1 ^a	1.7
Methamphetamine	3.8	4.4	1.6	2.0	0.4 ^a	0.8
Sedatives	1.7	1.8	0.8	0.7	0.2	0.2
Any Illicit Drug Other Than Marijuana ¹	32.1 ^b	34.8	18.1 ^b	21.5	7.5 ^b	9.8

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.9A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 21 to 25: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	8,618 ^b	9,859	4,068 ^b	4,997	2,227 ^b	2,857
Marijuana and Hashish	7,713 ^b	8,956	3,390 ^b	4,165	1,870 ^b	2,444
Cocaine	1,967 ^b	2,567	697 ^b	960	186 ^b	296
Crack	498 ^b	685	88 ^b	150	12 ^a	33
Heroin	246	311	61	83	14 ^a	40
Hallucinogens ²	3,296 ^b	4,014	805 ^b	1,312	210 ^b	355
LSD	2,408 ^b	2,879	357	365	72	73
PCP	364 ^a	467	31	41	9	10
Ecstasy	1,531 ^b	2,243	--	996	--	233
Inhalants	2,132 ^b	2,471	240	304	61	70
Nonmedical Use of Any Psychotherapeutic ³	3,204 ^b	4,029	1,334 ^b	1,868	508 ^b	705
Pain Relievers	2,317 ^b	3,063	1,023 ^b	1,431	384 ^b	506
Tranquilizers	1,305 ^b	1,596	473 ^b	679	148 ^a	219
Stimulants	1,235 ^b	1,696	313 ^b	482	85 ^b	174
Methamphetamine	722 ^b	981	160 ^b	254	45 ^b	114
Sedatives	274	337	67	81	21	36
Any Illicit Drug Other Than Marijuana ¹	5,374 ^b	6,281	2,104 ^b	2,851	799 ^b	1,147

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.9B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 21 to 25: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	51.0 ^b	56.2	24.1 ^b	28.5	13.2 ^b	16.3
Marijuana and Hashish	45.6 ^b	51.1	20.1 ^b	23.8	11.1 ^b	13.9
Cocaine	11.6 ^b	14.6	4.1 ^b	5.5	1.1 ^b	1.7
Crack	2.9 ^b	3.9	0.5 ^a	0.9	0.1 ^a	0.2
Heroin	1.5	1.8	0.4	0.5	0.1 ^a	0.2
Hallucinogens ²	19.5 ^b	22.9	4.8 ^b	7.5	1.2 ^b	2.0
LSD	14.2 ^b	16.4	2.1	2.1	0.4	0.4
PCP	2.2 ^a	2.7	0.2	0.2	0.1	0.1
Ecstasy	9.1 ^b	12.8	--	5.7	--	1.3
Inhalants	12.6 ^a	14.1	1.4	1.7	0.4	0.4
Nonmedical Use of Any Psychotherapeutic ³	19.0 ^b	23.0	7.9 ^b	10.7	3.0 ^b	4.0
Pain Relievers	13.7 ^b	17.5	6.1 ^b	8.2	2.3 ^a	2.9
Tranquilizers	7.7 ^b	9.1	2.8 ^b	3.9	0.9 ^a	1.2
Stimulants	7.3 ^b	9.7	1.9 ^b	2.7	0.5 ^b	1.0
Methamphetamine	4.3 ^b	5.6	0.9 ^b	1.4	0.3 ^b	0.7
Sedatives	1.6	1.9	0.4	0.5	0.1	0.2
Any Illicit Drug Other Than Marijuana ¹	31.8 ^b	35.8	12.4 ^b	16.3	4.7 ^b	6.5

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.10A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 26 to 34: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	16,791	17,433	4,435 ^b	5,261	2,570	2,865
Marijuana and Hashish	15,170	15,671	3,393 ^a	3,905	1,944	2,216
Cocaine	4,992	5,207	677	868	263	359
Crack	1,260	1,457	124	186	42	79
Heroin	361	423	15 ^a	69	4	18
Hallucinogens ²	5,200	5,720	391 ^a	625	126	118
LSD	3,908	4,110	130	115	44	8
PCP	590	652	22	8	4	2
Ecstasy	1,540 ^a	1,954	--	472	--	80
Inhalants	3,642	3,910	163	208	80	61
Nonmedical Use of Any Psychotherapeutic ³	5,572	5,875	1,459 ^b	1,985	704	791
Pain Relievers	3,441 ^b	4,055	1,047 ^b	1,469	516	604
Tranquilizers	2,271	2,502	444 ^a	669	155	228
Stimulants	2,234	2,194	278	364	142	167
Methamphetamine	1,600	1,444	177	239	80	119
Sedatives	691	636	85 ^a	171	21	60
Any Illicit Drug Other Than Marijuana ¹	10,038 ^a	10,894	2,169 ^b	2,851	1,018	1,143

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.10B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 26 to 34: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	50.9 ^a	53.3	13.4 ^b	16.1	7.8	8.8
Marijuana and Hashish	46.0 ^a	47.9	10.3 ^a	11.9	5.9	6.8
Cocaine	15.1	15.9	2.1	2.7	0.8	1.1
Crack	3.8	4.5	0.4	0.6	0.1	0.2
Heroin	1.1	1.3	0.0 ^a	0.2	0.0	0.1
Hallucinogens ²	15.8 ^a	17.5	1.2 ^b	1.9	0.4	0.4
LSD	11.8	12.6	0.4	0.4	0.1	0.0
PCP	1.8	2.0	0.1	0.0	0.0	0.0
Ecstasy	4.7 ^a	6.0	--	1.4	--	0.2
Inhalants	11.0	12.0	0.5	0.6	0.2	0.2
Nonmedical Use of Any Psychotherapeutic ³	16.9	18.0	4.4 ^b	6.1	2.1	2.4
Pain Relievers	10.4 ^b	12.4	3.2 ^b	4.5	1.6	1.8
Tranquilizers	6.9	7.7	1.3 ^a	2.0	0.5	0.7
Stimulants	6.8	6.7	0.8	1.1	0.4	0.5
Methamphetamine	4.8	4.4	0.5	0.7	0.2	0.4
Sedatives	2.1	1.9	0.3 ^a	0.5	0.1	0.2
Any Illicit Drug Other Than Marijuana ¹	30.4 ^b	33.3	6.6 ^b	8.7	3.1	3.5

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.11A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 35 or Older: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	49,006 ^b	53,634	7,654 ^a	8,831	4,594	4,950
Marijuana and Hashish	43,612 ^b	48,224	5,200	5,728	3,141	3,305
Cocaine	16,206 ^b	18,228	989	1,287	424	645
Crack	3,081	3,611	319	485	159	225
Heroin	1,931	2,119	136	190	84	28
Hallucinogens ²	13,986	14,732	225	287	43	59
LSD	10,822	10,844	109	78	*	22
PCP	4,298	4,371	31	*	9	*
Ecstasy	1,527	1,554	--	194	--	41
Inhalants	7,280 ^a	8,315	233	151	156	69
Nonmedical Use of Any Psychotherapeutic ³	18,678 ^a	20,550	2,956 ^a	3,682	1,404	1,834
Pain Relievers	9,584	10,510	2,051	2,534	949	1,215
Tranquilizers	7,983	8,198	1,031	1,359	444	609
Stimulants	9,301	10,121	579	598	245	316
Methamphetamine	5,753	6,308	316	411	145	203
Sedatives	5,786	6,133	247	390	77	155
Any Illicit Drug Other Than Marijuana ¹	29,092 ^b	32,053	3,956 ^a	4,754	1,908	2,392

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.11B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 35 or Older: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	35.5 ^b	38.4	5.5 ^a	6.3	3.3	3.5
Marijuana and Hashish	31.6 ^b	34.5	3.8	4.1	2.3	2.4
Cocaine	11.8 ^a	13.0	0.7	0.9	0.3	0.5
Crack	2.2	2.6	0.2	0.3	0.1	0.2
Heroin	1.4	1.5	0.1	0.1	0.1	0.0
Hallucinogens ²	10.1	10.5	0.2	0.2	0.0	0.0
LSD	7.8	7.8	0.1	0.1	*	0.0
PCP	3.1	3.1	0.0	*	0.0	*
Ecstasy	1.1	1.1	--	0.1	--	0.0
Inhalants	5.3 ^a	5.9	0.2	0.1	0.1	0.0
Nonmedical Use of Any Psychotherapeutic ³	13.5 ^a	14.7	2.1 ^a	2.6	1.0	1.3
Pain Relievers	6.9	7.5	1.5	1.8	0.7	0.9
Tranquilizers	5.8	5.9	0.7	1.0	0.3	0.4
Stimulants	6.7	7.2	0.4	0.4	0.2	0.2
Methamphetamine	4.2	4.5	0.2	0.3	0.1	0.1
Sedatives	4.2	4.4	0.2	0.3	0.1	0.1
Any Illicit Drug Other Than Marijuana ¹	21.1 ^b	22.9	2.9 ^a	3.4	1.4	1.7

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.12A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Males: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	46,703 ^b	50,094	13,880 ^b	15,977	8,272 ^b	9,424
Marijuana and Hashish	41,589 ^b	44,597	11,154 ^b	12,492	6,624 ^b	7,622
Cocaine	14,690 ^b	16,334	2,037 ^b	2,826	760 ^b	1,124
Crack	3,236 ^a	3,853	449 ^a	626	188	232
Heroin	1,724	2,018	175	281	64	74
Hallucinogens ²	15,506	16,642	2,138 ^b	2,828	584 ^b	805
LSD	11,790	12,306	1,149	1,037	282 ^a	197
PCP	3,512	3,936	166	128	32	27
Ecstasy	3,807 ^b	4,782	--	1,921	--	466
Inhalants	10,480 ^b	11,926	1,216	1,198	410	351
Nonmedical Use of Any Psychotherapeutic ³	17,008 ^b	19,389	4,217 ^b	5,665	1,926 ^b	2,430
Pain Relievers	10,218 ^b	12,117	3,280 ^b	4,328	1,443 ^a	1,769
Tranquilizers	6,623 ^a	7,505	1,176 ^b	1,859	458	630
Stimulants	7,996	8,881	1,057 ^a	1,355	419	562
Methamphetamine	5,135	5,490	564 ^a	794	193 ^a	339
Sedatives	3,955	4,306	310 ^a	486	111	181
Any Illicit Drug Other Than Marijuana ¹	29,021 ^b	31,891	6,926 ^b	8,767	3,112 ^b	3,887

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.12B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Males: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	43.5 ^b	46.1	12.9 ^b	14.7	7.7 ^b	8.7
Marijuana and Hashish	38.7 ^b	41.1	10.4 ^b	11.5	6.2 ^b	7.0
Cocaine	13.7 ^a	15.0	1.9 ^b	2.6	0.7 ^b	1.0
Crack	3.0 ^a	3.5	0.4	0.6	0.2	0.2
Heroin	1.6	1.9	0.2	0.3	0.1	0.1
Hallucinogens ²	14.4	15.3	2.0 ^b	2.6	0.5 ^a	0.7
LSD	11.0	11.3	1.1	1.0	0.3 ^a	0.2
PCP	3.3	3.6	0.2	0.1	0.0	0.0
Ecstasy	3.5 ^b	4.4	--	1.8	--	0.4
Inhalants	9.8 ^b	11.0	1.1	1.1	0.4	0.3
Nonmedical Use of Any Psychotherapeutic ³	15.8 ^b	17.9	3.9 ^b	5.2	1.8 ^a	2.2
Pain Relievers	9.5 ^b	11.2	3.1 ^b	4.0	1.3 ^a	1.6
Tranquilizers	6.2 ^a	6.9	1.1 ^b	1.7	0.4	0.6
Stimulants	7.4	8.2	1.0 ^a	1.2	0.4	0.5
Methamphetamine	4.8	5.1	0.5 ^a	0.7	0.2	0.3
Sedatives	3.7	4.0	0.3 ^a	0.4	0.1	0.2
Any Illicit Drug Other Than Marijuana ¹	27.0 ^b	29.4	6.5 ^b	8.1	2.9 ^b	3.6

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.13A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Females: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	40,228 ^b	44,046	10,654 ^b	12,432	5,755 ^a	6,486
Marijuana and Hashish	34,732 ^b	38,675	7,435 ^b	8,594	4,089	4,500
Cocaine	10,206 ^a	11,454	1,291	1,360	454	553
Crack	2,071	2,369	272	401	76 ^a	175
Heroin	1,055	1,073	133	175	65	49
Hallucinogens ²	10,619 ^a	11,675	1,345 ^b	1,768	387	460
LSD	7,852	7,895	600	575	121	124
PCP	2,292	2,089	98	123	22	28
Ecstasy	2,675 ^b	3,349	--	1,326	--	320
Inhalants	6,222	6,293	701	724	212	188
Nonmedical Use of Any Psychotherapeutic ³	15,435 ^a	16,638	4,544 ^b	5,437	1,923 ^a	2,381
Pain Relievers	8,993 ^a	10,017	3,186 ^b	4,026	1,339 ^a	1,728
Tranquilizers	6,384	6,440	1,555	1,814	542	728
Stimulants	6,666	7,126	1,055	1,131	369	457
Methamphetamine	3,707	4,110	467	547	194	237
Sedatives	3,187	3,171	301	321	64	125
Any Illicit Drug Other Than Marijuana ¹	23,584 ^b	25,894	6,126 ^b	7,094	2,599 ^a	3,116

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.13B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Females: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	34.7 ^b	37.6	9.2 ^b	10.6	5.0 ^a	5.5
Marijuana and Hashish	30.0 ^b	33.0	6.4 ^b	7.3	3.5	3.8
Cocaine	8.8 ^a	9.8	1.1	1.2	0.4	0.5
Crack	1.8	2.0	0.2	0.3	0.1 ^a	0.1
Heroin	0.9	0.9	0.1	0.1	0.1	0.0
Hallucinogens ²	9.2 ^a	10.0	1.2 ^b	1.5	0.3	0.4
LSD	6.8	6.7	0.5	0.5	0.1	0.1
PCP	2.0	1.8	0.1	0.1	0.0	0.0
Ecstasy	2.3 ^b	2.9	--	1.1	--	0.3
Inhalants	5.4	5.4	0.6	0.6	0.2	0.2
Nonmedical Use of Any Psychotherapeutic ³	13.3	14.2	3.9 ^b	4.6	1.7 ^a	2.0
Pain Relievers	7.8 ^a	8.6	2.7 ^b	3.4	1.2 ^a	1.5
Tranquilizers	5.5	5.5	1.3	1.5	0.5	0.6
Stimulants	5.7	6.1	0.9	1.0	0.3	0.4
Methamphetamine	3.2	3.5	0.4	0.5	0.2	0.2
Sedatives	2.7	2.7	0.3	0.3	0.1	0.1
Any Illicit Drug Other Than Marijuana ¹	20.3 ^b	22.1	5.3 ^b	6.1	2.2 ^a	2.7

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.14A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Males Aged 12 to 17: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	3,250	3,467	2,206 ^b	2,550	1,178 ^b	1,376
Marijuana and Hashish	2,237 ^b	2,526	1,629 ^b	1,952	925 ^b	1,073
Cocaine	263	259	186	171	70	62
Crack	62	75	37	43	11	15
Heroin	38	29	21	18	7	3
Hallucinogens ²	712	679	477	468	145	156
LSD	472 ^a	388	298 ^a	232	79	64
PCP	133	98	68	50	12	8
Ecstasy	296	330	--	235	--	71
Inhalants	1,100	1,000	430	419	109	121
Nonmedical Use of Any Psychotherapeutic ³	1,238	1,269	778	833	317	325
Pain Relievers	984	1,028	623	682	254	265
Tranquilizers	265	271	150	188	46	56
Stimulants	396	349	226	202	74	53
Methamphetamine	142	129	88	73	30	16
Sedatives	76	70	45 ^a	24	17	8
Any Illicit Drug Other Than Marijuana ¹	2,158	2,155	1,278	1,370	509	559

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.14B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Males Aged 12 to 17: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	27.2 ^a	28.7	18.4 ^b	21.1	9.8 ^b	11.4
Marijuana and Hashish	18.7 ^b	20.9	13.6 ^b	16.2	7.7 ^a	8.9
Cocaine	2.2	2.1	1.6	1.4	0.6	0.5
Crack	0.5	0.6	0.3	0.4	0.1	0.1
Heroin	0.3	0.2	0.2	0.1	0.1	0.0
Hallucinogens ²	6.0	5.6	4.0	3.9	1.2	1.3
LSD	3.9 ^a	3.2	2.5 ^a	1.9	0.7	0.5
PCP	1.1	0.8	0.6	0.4	0.1	0.1
Ecstasy	2.5	2.7	--	1.9	--	0.6
Inhalants	9.2 ^a	8.3	3.6	3.5	0.9	1.0
Nonmedical Use of Any Psychotherapeutic ³	10.4	10.5	6.5	6.9	2.7	2.7
Pain Relievers	8.2	8.5	5.2	5.6	2.1	2.2
Tranquilizers	2.2	2.2	1.3	1.6	0.4	0.5
Stimulants	3.3	2.9	1.9	1.7	0.6	0.4
Methamphetamine	1.2	1.1	0.7	0.6	0.3	0.1
Sedatives	0.6	0.6	0.4 ^a	0.2	0.1	0.1
Any Illicit Drug Other Than Marijuana ¹	18.0	17.8	10.7	11.3	4.3	4.6

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.15A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Females Aged 12 to 17: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	3,038	3,224	2,151 ^a	2,367	1,086	1,180
Marijuana and Hashish	2,046	2,116	1,507	1,628	753	816
Cocaine	287	274	202	178	62	44
Crack	81	75	50	41	9	11
Heroin	46	46	28	32	8	6
Hallucinogens ²	636	674	431	484	125	129
LSD	369	353	213	221	40	41
PCP	113	127	44 ^a	71	6	15
Ecstasy	320 ^b	416	--	324	--	80
Inhalants	978	1,038	395	414	114	110
Nonmedical Use of Any Psychotherapeutic ³	1,305 ^a	1,475	871 ^b	1,031	373	436
Pain Relievers	980 ^b	1,181	637 ^b	830	284 ^a	353
Tranquilizers	330	345	223	219	64	73
Stimulants	530	534	326	315	107	105
Methamphetamine	162	209	98	127	38	33
Sedatives	111	89	65	57	19	23
Any Illicit Drug Other Than Marijuana ¹	2,070 ^a	2,247	1,353	1,466	565	596

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.15B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Females Aged 12 to 17: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	26.6	28.0	18.9 ^a	20.5	9.5	10.2
Marijuana and Hashish	17.9	18.4	13.2	14.1	6.6	7.1
Cocaine	2.5	2.4	1.8	1.5	0.5	0.4
Crack	0.7	0.6	0.4	0.4	0.1	0.1
Heroin	0.4	0.4	0.2	0.3	0.1	0.0
Hallucinogens ²	5.6	5.9	3.8	4.2	1.1	1.1
LSD	3.2	3.1	1.9	1.9	0.4	0.4
PCP	1.0	1.1	0.4 ^a	0.6	0.1	0.1
Ecstasy	2.8 ^b	3.6	--	2.8	--	0.7
Inhalants	8.6	9.0	3.5	3.6	1.0	1.0
Nonmedical Use of Any Psychotherapeutic ³	11.4 ^a	12.8	7.6 ^b	8.9	3.3	3.8
Pain Relievers	8.6 ^b	10.3	5.6 ^b	7.2	2.5 ^a	3.1
Tranquilizers	2.9	3.0	2.0	1.9	0.6	0.6
Stimulants	4.7	4.6	2.9	2.7	0.9	0.9
Methamphetamine	1.4	1.8	0.9	1.1	0.3	0.3
Sedatives	1.0	0.8	0.6	0.5	0.2	0.2
Any Illicit Drug Other Than Marijuana ¹	18.1 ^a	19.5	11.9	12.7	4.9	5.2

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.16A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Males Aged 18 to 25: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	7,888 ^b	8,613	4,599 ^b	5,346	2,745 ^b	3,414
Marijuana and Hashish	7,076 ^b	7,795	3,980 ^b	4,594	2,408 ^b	2,993
Cocaine	1,870 ^b	2,277	780 ^b	1,061	238 ^b	374
Crack	505	567	133	166	27	43
Heroin	247	273	67	87	21	39
Hallucinogens ²	3,238 ^b	3,698	1,189 ^b	1,690	332 ^b	545
LSD	2,383 ^a	2,662	640	647	162	121
PCP	406	480	58	77	16	18
Ecstasy	1,592 ^b	2,218	--	1,189	--	329
Inhalants	2,267 ^a	2,523	444	509	103	114
Nonmedical Use of Any Psychotherapeutic ³	3,095 ^b	3,787	1,494 ^b	2,029	608 ^b	835
Pain Relievers	2,386 ^b	3,089	1,208 ^b	1,653	467 ^b	622
Tranquilizers	1,222 ^b	1,462	506 ^b	690	167	227
Stimulants	1,180 ^b	1,551	390 ^b	577	132 ^b	219
Methamphetamine	650 ^a	785	192 ^a	265	50 ^b	115
Sedatives	291	329	110	101	31	40
Any Illicit Drug Other Than Marijuana ¹	5,128 ^b	5,747	2,455 ^b	3,134	999 ^b	1,423

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.16B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Males Aged 18 to 25: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	54.7 ^b	58.8	31.9 ^b	36.5	19.0 ^b	23.3
Marijuana and Hashish	49.1 ^b	53.2	27.6 ^b	31.4	16.7 ^b	20.4
Cocaine	13.0 ^b	15.5	5.4 ^b	7.2	1.7 ^b	2.6
Crack	3.5	3.9	0.9	1.1	0.2	0.3
Heroin	1.7	1.9	0.5	0.6	0.1	0.3
Hallucinogens ²	22.5 ^b	25.2	8.2 ^b	11.5	2.3 ^b	3.7
LSD	16.5 ^a	18.2	4.4	4.4	1.1	0.8
PCP	2.8	3.3	0.4	0.5	0.1	0.1
Ecstasy	11.0 ^b	15.1	--	8.1	--	2.2
Inhalants	15.7 ^a	17.2	3.1	3.5	0.7	0.8
Nonmedical Use of Any Psychotherapeutic ³	21.5 ^b	25.9	10.4 ^b	13.9	4.2 ^b	5.7
Pain Relievers	16.6 ^b	21.1	8.4 ^b	11.3	3.2 ^b	4.2
Tranquilizers	8.5 ^b	10.0	3.5 ^b	4.7	1.2	1.5
Stimulants	8.2 ^b	10.6	2.7 ^b	3.9	0.9 ^b	1.5
Methamphetamine	4.5 ^a	5.4	1.3 ^a	1.8	0.3 ^b	0.8
Sedatives	2.0	2.2	0.8	0.7	0.2	0.3
Any Illicit Drug Other Than Marijuana ¹	35.6 ^b	39.2	17.0 ^b	21.4	6.9 ^b	9.7

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.17A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Females Aged 18 to 25: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	6,958 ^b	7,769	3,489 ^b	4,054	1,854 ^b	2,125
Marijuana and Hashish	6,180 ^b	6,940	2,880 ^b	3,279	1,542 ^a	1,719
Cocaine	1,279 ^b	1,543	494 ^a	620	156	192
Crack	317 ^b	436	57 ^a	106	16	34
Heroin	156	201	40	60	5 ^b	28
Hallucinogens ²	2,355 ^b	2,813	770 ^b	1,043	200	257
LSD	1,689	1,845	358	319	72	65
PCP	265	297	41	39	7	11
Ecstasy	1,208 ^b	1,659	--	833	--	185
Inhalants	1,435	1,433	251	220	59	65
Nonmedical Use of Any Psychotherapeutic ³	2,555 ^b	3,072	1,202 ^b	1,542	442 ^b	590
Pain Relievers	1,836 ^b	2,271	900 ^b	1,186	313 ^b	437
Tranquilizers	937 ^b	1,167	377 ^b	547	124	166
Stimulants	1,020 ^b	1,259	312 ^b	430	89 ^b	158
Methamphetamine	535 ^b	725	160	226	45 ^a	91
Sedatives	186	220	59	64	10	20
Any Illicit Drug Other Than Marijuana ¹	4,120 ^b	4,690	1,841 ^b	2,285	712 ^b	890

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.17B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Females Aged 18 to 25: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	47.8 ^b	52.4	23.9 ^b	27.3	12.7 ^b	14.3
Marijuana and Hashish	42.4 ^b	46.8	19.8 ^b	22.1	10.6	11.6
Cocaine	8.8 ^b	10.4	3.4 ^a	4.2	1.1	1.3
Crack	2.2 ^b	2.9	0.4 ^a	0.7	0.1	0.2
Heroin	1.1	1.4	0.3	0.4	0.0 ^b	0.2
Hallucinogens ²	16.2 ^b	19.0	5.3 ^b	7.0	1.4	1.7
LSD	11.6	12.4	2.5	2.1	0.5	0.4
PCP	1.8	2.0	0.3	0.3	0.0	0.1
Ecstasy	8.3 ^b	11.2	--	5.6	--	1.2
Inhalants	9.8	9.7	1.7	1.5	0.4	0.4
Nonmedical Use of Any Psychotherapeutic ³	17.5 ^b	20.7	8.2 ^b	10.4	3.0 ^b	4.0
Pain Relievers	12.6 ^b	15.3	6.2 ^b	8.0	2.1 ^b	2.9
Tranquilizers	6.4 ^b	7.9	2.6 ^b	3.7	0.9	1.1
Stimulants	7.0 ^b	8.5	2.1 ^a	2.9	0.6 ^b	1.1
Methamphetamine	3.7 ^b	4.9	1.1	1.5	0.3 ^a	0.6
Sedatives	1.3	1.5	0.4	0.4	0.1	0.1
Any Illicit Drug Other Than Marijuana ¹	28.3 ^b	31.6	12.6 ^b	15.4	4.9 ^b	6.0

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.18A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 18 or Older: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	80,643 ^b	87,449	20,177 ^b	23,492	11,763 ^b	13,355
Marijuana and Hashish	72,038 ^b	78,630	15,453 ^b	17,506	9,035 ^b	10,233
Cocaine	24,346 ^b	27,255	2,940 ^b	3,837	1,081 ^b	1,570
Crack	5,164 ^a	6,072	634 ^b	943	245	380
Heroin	2,695	3,016	259	406	114	114
Hallucinogens ²	24,778 ^b	26,963	2,575 ^b	3,645	701 ^b	979
LSD	18,802	19,460	1,237	1,158	283	215
PCP	5,558	5,800	152	129	35	31
Ecstasy	5,867 ^b	7,385	--	2,689	--	635
Inhalants	14,623 ^b	16,181	1,092	1,089	398	308
Nonmedical Use of Any Psychotherapeutic ³	29,900 ^b	33,284	7,112 ^b	9,238	3,158 ^b	4,050
Pain Relievers	17,246 ^b	19,924	5,206 ^b	6,842	2,245 ^b	2,878
Tranquilizers	12,412	13,329	2,358 ^b	3,265	890 ^a	1,229
Stimulants	13,735 ^a	15,124	1,560 ^a	1,969	607	861
Methamphetamine	8,538	9,262	845	1,141	319	528
Sedatives	6,955	7,318	501	726	139	275
Any Illicit Drug Other Than Marijuana ¹	48,377 ^b	53,384	10,421 ^b	13,025	4,637 ^b	5,847

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 1.18B Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 18 or Older: 2000 and 2001

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug ¹	40.3 ^b	43.3	10.1 ^b	11.6	5.9 ^b	6.6
Marijuana and Hashish	36.0 ^b	38.9	7.7 ^b	8.7	4.5 ^b	5.1
Cocaine	12.2 ^b	13.5	1.5 ^b	1.9	0.5 ^b	0.8
Crack	2.6 ^a	3.0	0.3 ^b	0.5	0.1	0.2
Heroin	1.3	1.5	0.1	0.2	0.1	0.1
Hallucinogens ²	12.4 ^b	13.3	1.3 ^b	1.8	0.4 ^b	0.5
LSD	9.4	9.6	0.6	0.6	0.1	0.1
PCP	2.8	2.9	0.1	0.1	0.0	0.0
Ecstasy	2.9 ^b	3.7	--	1.3	--	0.3
Inhalants	7.3 ^b	8.0	0.5	0.5	0.2	0.2
Nonmedical Use of Any Psychotherapeutic ³	15.0 ^b	16.5	3.6 ^b	4.6	1.6 ^b	2.0
Pain Relievers	8.6 ^b	9.9	2.6 ^b	3.4	1.1 ^b	1.4
Tranquilizers	6.2	6.6	1.2 ^b	1.6	0.4 ^a	0.6
Stimulants	6.9 ^a	7.5	0.8 ^a	1.0	0.3	0.4
Methamphetamine	4.3	4.6	0.4	0.6	0.2	0.3
Sedatives	3.5	3.6	0.3	0.4	0.1	0.1
Any Illicit Drug Other Than Marijuana ¹	24.2 ^b	26.4	5.2 ^b	6.4	2.3 ^b	2.9

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.